

NOK Standard Oil Seals

SC_{Type}, SB_{Type}

Fluorocarbon rubber (FKM) oil seal




- When ordering, please indicate the NOK part number and the relevant dimensions.
- Check the Guide to Allowable Operating Conditions on pages E-6 and E-7 for relevant information on the seal selected before use.

Lip Material	NOK F585
--------------	----------


SC Type, SB Type

Material Fluorocarbon (FKM)

● The sectional view on the right shows the typical profile of the seal type.



SC type




SB type

Dimensions			Part Number	Part Number
Shaft diameter d	Outside diameter D	Width b		
7	20	7	AC 0090 E3	—
8	22	7	AC 0158 F2	AB 0158 A3
10	25	7	—	AB 0279 A3
12	22	7	AC 0371 G1	—
12	25	7	—	AB 0382 A5
12	32	7	AC 0399 E1	—
13	30	9	AC 0484 F2	—
15	30	7	AC 0598 E0	AB 0598 A4
15	35	7	AC 0610 E3	—
16	30	7	—	AB 0687 A4
17	30	7	AC 0743 F0	—
17	30	8	AC 0745 F2	—
17	35	8	—	AB 0760 A3
18	30	8	AC 0817 F1	—
18	35	8	—	AB 0829 A3
19	35	8	AC 0875 F0	AB 0875 A4
20	35	8	AC 1013 E1	AB 1013 A3
20	40	8	AC 1030 F0	—
20	40	11	AC 1033 E4	AB 1033 A3
22	42	10	AC 1147 F0	—
24	40	8	—	AB 1260 A4
25	40	8	AC 1314 F0	AB 1314 A3
25	45	11	AC 1338 G1	AB 1338 A3
28	48	11	—	AB 1563 A3
30	45	8	—	AB 1679 A3
30	45	9	AC 1680 E1	—
30	45	12	AC 1682 F1	—
30	50	11	AC 1709 E3	AB 1709 A3
32	45	8	AC 1880 H1	—
32	52	11	AC 1904 E4	AB 1904 G1
35	50	8	AC 2057 E4	AB 2057 A7
35	52	10	AC 2069 F0	—
35	55	8	AC 2081 G0	—
35	55	11	AC 2085 E2	AB 2085 A3
38	58	11	AC 2240 E2	AB 2240 A3
40	58	8	—	AB 2369 A3
40	60	12	AC 2379 F1	—
40	62	11	—	AB 2388 A3
40	62	12	AC 2390 G6	—
42	65	12	—	AB 2507 A6


SC Type, SB Type

Material Fluorocarbon (FKM)

●The sectional view on the right shows the typical profile of the seal type.



SC type




SB type

Shaft diameter d	Dimensions		Part Number	Part Number
	Outside diameter D	Width b		
45	62	9	—	AB 2651 A3
45	68	12	AC 2668 E1	AB 2668 A5
48	70	12	AC 2791 E0	AB 2791 A3
50	68	9	AC 2847 F3	AB 2847 A3
50	72	12	AC 2864 G5	AB 2864 A3
52	75	12	—	AB 2967 A3
55	72	9	—	AB 3040 A3
55	78	12	AC 3055 H2	AB 3055 A6
58	80	9	—	AB 3152 F0
58	80	12	AC 3154 A7	AB 3154 A5
60	78	9	AC 3204 F2	—
60	80	10	AC 3211 G1	—
60	82	12	AC 3222 E8	AB 3222 A3
60	90	13	AC 3243 E1	—
62	85	12	—	AB 3297 A3
65	88	12	—	AB 3400 A3
65	90	13	AC 3409 G2	AB 3409 G1
65	95	14	AC 3414 E0	—
68	90	12	—	AB 3459 A3
70	92	12	AC 3519 G6	AB 3519 A3
70	95	13	—	AB 3527 A3
72	100	12	—	AB 3562 F0
75	100	13	AC 3618 F5	AB 3618 A3
80	105	13	AC 3744 I2	AB 3744 A3
85	110	13	AC 3842 F1	AB 3842 A3
90	115	13	AC 3932 E5	AB 3932 A5
95	120	13	AC 3994 A5	AB 3994 A3
100	125	13	AC 4063 H0	AB 4063 E1
105	135	14	AC 4153 E6	AB 4153 A3
110	140	14	AC 4212 F6	AB 4212 A3
115	145	14	—	AB 4282 A3
120	150	14	AC 4346 E0	AB 4346 A3
125	155	14	—	AB 4399 A3
130	160	14	—	AB 4451 A3
135	165	14	AC 4498 F4	AB 4498 A3
140	170	14	—	AB 4542 A3
145	175	14	AC 4581 G1	AB 4581 A3
150	180	14	AC 4624 G1	AB 4624 A3
160	190	16	—	AB 4713 F0
160	200	15	AC 4720 E1	—


SC Type, SB Type

Material Fluorocarbon (FKM)

●The sectional view on the right shows the typical profile of the seal type.



SC type



SB type

Shaft diameter d	Dimensions		Part Number	Part Number
	Outside diameter D	Width b		
160	210	20	—	AB 4724 E1
170	200	16	AC 4795 E0	AB 4795 A3
180	210	16	—	AB 4898 A6
190	225	16	—	AB 4983 A3
190	226	20	AC 4985 E1	—
200	240	20	—	AB 5068 A3
210	250	20	—	AB 5140 A3
220	250	15	AC 5204 E3	—
220	260	22	—	AB 5216 A3
230	260	20	—	AB 5283 A3
240	275	16	AC 5346 F0	—
240	280	19	—	AB 5351 A3
250	310	25	—	AB 5412 A3
260	320	25	—	AB 5471 A3
270	330	25	—	AB 5523 A3
280	340	28	—	AB 5572 A3
300	360	25	—	AB 5640 A3